

In the Claims:

1. (Currently Amended) A bag comprising side walls which are substantially impervious to moisture and having an opening at one end which is adapted to be sealed, a portion of one of the side walls comprising a substantially transparent material which is substantially impervious to moisture and a first moisture indicating material directly mounted ~~within the bag~~ to the side wall, and adjacent to the transparent material to enable the first moisture indicating material to be viewed through the transparent material, and at least a portion of the first moisture indicating material ~~being exposed to air~~ within the interior of the bag, wherein one of the side walls of the bag further comprises a desiccant material which defines at least a portion of an inner surface of the side wall.
2. (Canceled)
3. (Previously Presented) A bag according to claim 1, wherein the desiccant material comprises a silica gel.
4. (Original) A bag according to claim 1, wherein the side walls of the bag comprise a laminated material.
5. (Original) A bag according to claim 4, wherein the laminated material comprises a metal foil.
6. (Original) A bag according to claim 1, wherein the substantially transparent material comprises a transparent moisture barrier film.

7. (Original) A bag according to claim 1 in combination with an electronic device, the electronic device being sealed within the bag.

8. (Original) A bag according to claim 1 in combination with a packaged semiconductor device, the packaged semiconductor device being sealed within the bag.

9-14. (Canceled)

15. (Currently Amended) A bag according to claim [[9]] 1, further comprising:

a second moisture indicating material level indicator mounted within the bag adjacent to the transparent material to enable the second moisture indicating material to be viewed through the transparent material, wherein at least a portion of the second moisture indicating material level indicator is exposed to air within the bag; and

a third moisture indicating material level indicator mounted within the bag adjacent to the transparent material to enable the third moisture indicating material to be viewed through the transparent material, wherein at least a portion of the third moisture indicating material level indicator is exposed to air within the bag.

16. (Currently Amended) A bag according to claim 15 wherein the first moisture indicating material level indicator provides a first warning that moisture in the bag is approaching a danger level, wherein the second moisture indicating material level indicator provides an intermediate warning that indicates to a user to put the electronics device into a new bag, and wherein the third moisture indicating material level indicator provides a warning that moisture levels have exceeded a recommended maximum level.

17-20. (Canceled)

21. (Previously Presented) A bag according to claim 1, wherein the side walls of the bag comprise a layer of the desiccant material on the inside.

22. (Previously Presented) A bag according to claim 21, wherein the desiccant material is located within a porous bag.

23. (Previously Presented) A bag according to claim 4, wherein the side walls of the bag comprise the laminated material on the outside and a layer of the desiccant material on the inside.